


Napaeus delibutus

Assessment by: Frias Martins, A.



View on www.iucnredlist.org

Citation: Frias Martins, A. 2013. *Napaeus delibutus*. *The IUCN Red List of Threatened Species 2013*: e.T156800A4999527. <http://dx.doi.org/10.2305/IUCN.UK.2011-1.RLTS.T156800A4999527.en>

Copyright: © 2015 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Mollusca	Gastropoda	Stylommatophora	Enidae

Taxon Name: *Napaeus delibutus* (Morelet & Drouët, 1857)

Taxonomic Notes:

Morelet & Drouët's (1857) original description does not mention type locality, so "The Azores" is currently accepted. However, Morelet (1860) states that this species is found on Terceira and Faial, and possibly on São Miguel; the provenance of the type material confirms it, thus enabling a possible restriction of the type locality to the latter island.

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2013

Date Assessed: November 19, 2010

Justification:

This species is found on six islands in the Azores; São Miguel, Terceira, São Jorge, Graciosa, Pico and Faial (Extent of occurrence = 60000 km²). It is adapted to several habitats and faces no major threats, therefore it is considered as Least Concern (LC).

Geographic Range

Range Description:

This species is found on São Miguel, Terceira, São Jorge, Graciosa, Pico and Faial islands, Azores.

Country Occurrence:

Native: Portugal (Azores)

Distribution Map



Napaeus delibutus

Range

■ Extant (resident)

Compiled by:
IUCN



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

Napaeus delibutus is abundant throughout the islands São Miguel, Terceira, São Jorge, Graciosa, Pico and Faial, from near the sea level to the endemic forest.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

Napaeus delibutus prefers wooded areas, where it can be found under rocks, decaying wood and amidst clumps of dried vegetation. The juveniles, and sometimes the adults, can be found climbing up the branches and leaves. It is also found in dry environments, under heaps of rocks and on stone walls.

Systems: Terrestrial

Use and Trade

There is no use or trade information for this species.

Threats

This species is adaptable to different habitats; therefore no threats are foreseen.

Conservation Actions

No conservation measures are needed.

Credits

Assessor(s): Frias Martins, A.

Reviewer(s): Neubert, E., Cuttelod, A. & Nichols, C.

Bibliography

IUCN. 2011. IUCN Red List of Threatened Species (ver. 2011.1). Available at: <http://www.iucnredlist.org>. (Accessed: 16 June 2011).

Lourenço, P. and Martins, A.M.F. 2005. Actualização da malacofauna da Ilha Graciosa. *Relatórios e Comunicações do Departamento de Biologia* 34: 53-67.

Martins, A.M.F., da Cunha, R.T., Sousa, M.H. and Melo, P.J. 2006. Distribuição dos moluscos terrestres da ilha do Pico (Açores) e variabilidade de *Oxychilus* (Drouetia) minor (Morelet 1860). *Relatórios e Comunicações do Departamento de Biologia* 34: 56-57.

Morelet, A. 1860. *Notice sur l'histoire naturelle des Açores suivie d'une description des mollusques terrestres de cet archipel*. Baillière, Paris.

Morelet, A., and Drouët, H. 1857. Conchologiae Azoricae prodromus novarum specierum diagnoses sistens. *Journal de Conchyliologie* 6(2): 148-153.

Citation

Frias Martins, A. 2013. *Napaeus delibutus*. *The IUCN Red List of Threatened Species 2013*: e.T156800A4999527. <http://dx.doi.org/10.2305/IUCN.UK.2011-1.RLTS.T156800A4999527.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.4. Forest - Temperate	-	Suitable	Yes
3. Shrubland -> 3.8. Shrubland - Mediterranean-type Shrubby Vegetation	-	Suitable	Yes
14. Artificial/Terrestrial -> 14.5. Artificial/Terrestrial - Urban Areas	-	Suitable	Yes

Additional Data Fields

Distribution
Estimated extent of occurrence (EOO) (km ²): 60000
Population
Population severely fragmented: No

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).