


Napaeus moquinianus

Assessment by: Groh, K. & Neubert, E.



View on www.iucnredlist.org

Citation: Groh, K. & Neubert, E. 2013. *Napaeus moquinianus*. *The IUCN Red List of Threatened Species 2013*: e.T156719A4987705. <http://dx.doi.org/10.2305/IUCN.UK.2011-1.RLTS.T156719A4987705.en>

Copyright: © 2015 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Mollusca	Gastropoda	Stylommatophora	Enidae

Taxon Name: *Napaeus moquinianus* (Webb & Berthelot, 1833)

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2013

Date Assessed: March 25, 2011

Justification:

This species is endemic to the north of the island of Gran Canaria; major parts of the subpopulations are protected, and although there are some threats to the species these are not considered to be major threats at present. This species is relatively widespread, and is therefore considered to be Least Concern (LC).

Geographic Range

Range Description:

This species is endemic to the north of the island of Gran Canaria.

Country Occurrence:

Native: Spain (Canary Is.)

Population

The size and trend within the subpopulations are stable.

Current Population Trend: Stable

Habitat and Ecology (see Appendix for additional information)

The major part of the subpopulations lives in the degraded laurel forests between 450 and 600 m asl.

Systems: Terrestrial

Use and Trade

This species is not used.

Threats (see Appendix for additional information)

The subpopulations from the lowland may be affected by agricultural activities, the others by uncontrolled logging of the remaining forest.

Conservation Actions (see Appendix for additional information)

Major parts of the subpopulations are under local conservation schemes.

Credits

Assessor(s): Groh, K. & Neubert, E.

Reviewer(s): Temple, H.J. & Cuttelod, A.

Bibliography

Alonso, M.R., Henríquez, F. and Ibáñez, M. 1995. Revision of the species group *Napaeus variatus* (Gastropoda, Pulmonata, Buliminidae) from the Canary Islands, with description of five new species. *Zoologica Scripta* 24: 303-320.

IUCN. 2011. IUCN Red List of Threatened Species (ver. 2011.1). Available at: <http://www.iucnredlist.org>. (Accessed: 16 June 2011).

Citation

Groh, K. & Neubert, E. 2013. *Napaeus moquinianus*. *The IUCN Red List of Threatened Species 2013*: e.T156719A4987705. <http://dx.doi.org/10.2305/IUCN.UK.2011-1.RLTS.T156719A4987705.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.4. Forest - Temperate	-	Suitable	Yes

Threats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Threat	Timing	Scope	Severity	Impact Score
2. Agriculture & aquaculture -> 2.1. Annual & perennial non-timber crops -> 2.1.4. Scale Unknown/Unrecorded	Ongoing	-	-	-
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion		
2. Agriculture & aquaculture -> 2.3. Livestock farming & ranching -> 2.3.4. Scale Unknown/Unrecorded	Ongoing	-	-	-
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion		
5. Biological resource use -> 5.3. Logging & wood harvesting -> 5.3.1. Intentional use: (subsistence/small scale)	Ongoing	-	-	-
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion		

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Land/Water Protection and Management
Occur in at least one PA: Yes

Additional Data Fields

Distribution
Estimated area of occupancy (AOO) (km ²): 80
Estimated extent of occurrence (EOO) (km ²): 375
Number of Locations: 20
Lower elevation limit (m): 20
Upper elevation limit (m): 960

Population
Population severely fragmented: No

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).