


Napaeus rufobrunneus

Assessment by: Groh, K. & Neubert, E.



View on www.iucnredlist.org

Citation: Groh, K. & Neubert, E. 2013. *Napaeus rufobrunneus*. The IUCN Red List of Threatened Species 2013: e.T156572A4966376. <http://dx.doi.org/10.2305/IUCN.UK.2011-1.RLTS.T156572A4966376.en>

Copyright: © 2015 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Mollusca	Gastropoda	Stylommatophora	Enidae

Taxon Name: *Napaeus rufobrunneus* (Wollaston, 1878)

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2013

Date Assessed: March 25, 2011

Justification:

This species is endemic to the northern part of Lanzarote. This species is recorded from four locations and nine sites, the area of occupancy (AOO) is 16 km². There are no threats to this species known and the habitats and sub-populations are stable. It is therefore considered to be Least Concern (LC).

Geographic Range


Range Description:

This species is endemic to the northern part of Lanzarote. This species is recorded from four locations and nine sites, area of occupancy (AOO) is 16 km². It lives exclusively on the ridge of the Riscos.

Country Occurrence:

Native: Spain (Canary Is.)

Distribution Map



Napaeus rufobrunneus

Range

■ Extant (resident)

Compiled by:
IUCN



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

The size and trend within the sub-populations are stable.

Current Population Trend: Stable

Habitat and Ecology (see Appendix for additional information)

This species occurs on lichen-rich rocks.

Systems: Terrestrial

Use and Trade

This species is not used.

Threats

There are no threats to this species known.

Conservation Actions (see Appendix for additional information)

The complete distribution area of this species is under local conservation schemes.

Credits

Assessor(s): Groh, K. & Neubert, E.

Reviewer(s): Temple, H.J., Cuttelod, A. & Ward, J.

Bibliography

Alonso, M. R., Henriquez, F. C. and Ibanez, M. 1991. Nuevas especies de moluscos terrestres de la isla de Alegranza. *Bonner Zoologische Beiträge* 42(3-4): 325-338.

IUCN. 2011. IUCN Red List of Threatened Species (ver. 2011.1). Available at: <http://www.iucnredlist.org>. (Accessed: 16 June 2011).

Citation

Groh, K. & Neubert, E. 2013. *Napaeus rufobrunneus*. *The IUCN Red List of Threatened Species 2013*: e.T156572A4966376. <http://dx.doi.org/10.2305/IUCN.UK.2011-1.RLTS.T156572A4966376.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
0. Root -> 6. Rocky areas (eg. inland cliffs, mountain peaks)	-	Suitable	Yes

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Land/Water Protection and Management
Occur in at least one PA: Yes

Additional Data Fields

Distribution
Estimated area of occupancy (AOO) (km ²): 16
Estimated extent of occurrence (EOO) (km ²): 35
Number of Locations: 4
Population
Population severely fragmented: No

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission](#) (SSC) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).