


Oxychilus furtadoi

Errata version

Assessment by: Cameron, R., de Frias Martins, A.M. & Teixeira, D.



View on www.iucnredlist.org

Citation: Cameron, R., de Frias Martins, A.M. & Teixeira, D. 2017. *Oxychilus furtadoi* (errata version published in 2018). The IUCN Red List of Threatened Species 2017: e.T171369A126644709. <http://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T171369A1325172.en>

Copyright: © 2018 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Mollusca	Gastropoda	Stylommatophora	Oxychilidae

Taxon Name: *Oxychilus furtadoi* Frias Martins, 1989

Taxonomic Source(s):

Bank, R.A. 2017. Fauna Europaea Project: Checklist of the land and freshwater Gastropoda of Europe. Last update: February 18th, 2017. Fauna Europaea Project: http://www.nmbe.ch/sites/default/files/uploads/PDF_Upload/fauna_europaea_2017_03_16.pdf. Hoogezand.

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2017

Date Assessed: September 19, 2017

Justification:

This species is endemic to the Azores in Portugal, where it is known from across the island of Terceira. although the extent of occurrence and area of occupancy are restricted, there are no known threats, and the species is assessed as Least Concern.

Geographic Range

Range Description:


This species is endemic to the Azores Islands (Portugal; Frias Martins 1989, Cunha *et al.* 2005, 2010), where it is spread across the island of Terceira (A. de Frias Martins pers. comm. 2017).

Country Occurrence:

Native: Portugal (Azores)

Distribution Map

Oxychilus furtadoi



Range

Extant (resident)

Compiled by:

IUCN (International Union for Conservation of Nature)



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

There are no population data available.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

The species is found in grassland and within Mediterranean shrublands, often under stones (A. de Frias Martin pers. comm. 2016).

Systems: Terrestrial

Use and Trade

There is no known trade for this species.

Threats

There are no known threats to this species.

Conservation Actions (see Appendix for additional information)

No specific conservation actions are known for this species.

Credits

Assessor(s): Cameron, R., de Frias Martins, A.M. & Teixeira, D.

Reviewer(s): Groh, K., Seddon, M.B. & Allen, D.J.

Bibliography

Cunha, R., Martins, A.M.F., Lourenço, P., and Rodrigues, A. 2005. Lista dos Moluscos. In: P.A.V. Borges, R. Cunha, R. Gabriel, A.M.F. Martins, L. Silva and V. Viera (eds), *A list of the terrestrial fauna (Mollusca and Arthropoda) and flora (Bryophyta, Pteridophyta and Spermatophyta) from the Azores*, pp. 157-161. Direcção Regional do Ambiente and Universidade dos Açores, Horta, Angra do Heroísmo and Ponta Delgada.

Cunha, R., Rodrigues, P. and Martins, A.M.F. 2010. Lista dos Moluscos. In: Borges, P.A.V., Costa, A., Cunha, R., Gabriel, R., Gonçalves, V., Martins, A.M.F., Melo, I., Parente, M., Raposeiro, P., Rodrigues, P., Santos, R.S., Silva, L., Vieira, P. and Vieira, V. (eds), *A list of the terrestrial and marine biota from the Azores*, pp. 9-33. Principia, Cascais.

Frias Martins, A.M. 1989. Espécies novas do género *Oxychilus* (Gastropoda: Zonitidae) na ilha Terceira. *Açoreana* 7(1): 55-71.

IUCN. 2017. The IUCN Red List of Threatened Species. Version 2017-3. Available at: www.iucnredlist.org. (Accessed: 5 December 2017).

IUCN. 2018. The IUCN Red List of Threatened Species. Version 2018-1. Available at: www.iucnredlist.org. (Accessed: 28 June 2018).

Citation

Cameron, R., de Frias Martins, A.M. & Teixeira, D. 2017. *Oxychilus furtadoi* (errata version published in 2018). The IUCN Red List of Threatened Species 2017: e.T171369A126644709. <http://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T171369A1325172.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information, please see the Red List website](#).

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
3. Shrubland -> 3.4. Shrubland - Temperate	Resident	Suitable	Yes
4. Grassland -> 4.5. Grassland - Subtropical/Tropical Dry	Resident	Suitable	Yes

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Land/Water Protection and Management
Occur in at least one PA: Unknown

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.5. Threats
3. Monitoring -> 3.1. Population trends
3. Monitoring -> 3.4. Habitat trends

Additional Data Fields

Distribution
Continuing decline in area of occupancy (AOO): No
Estimated extent of occurrence (EOO) (km ²): 250-300
Continuing decline in extent of occurrence (EOO): Unknown
Lower elevation limit (m): 200
Upper elevation limit (m): 500
Population
Population severely fragmented: No
Habitats and Ecology
Continuing decline in area, extent and/or quality of habitat: Unknown

Habitats and Ecology
Generation Length (years): 1-2

Errata

Errata reason: An errata assessment was created in order to correct the selected Red List category from NT to LC to reflect the Red List category (LC) cited in the Rationale text.

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).