


Hoplophthiracarus maritimus

Assessment by: Nunes, R. & Borges, P.A.V.



View on www.iucnredlist.org

Citation: Nunes, R. & Borges, P.A.V. 2021. *Hoplophthiracarus maritimus*. *The IUCN Red List of Threatened Species 2021*: e.T119441282A119441688. <https://dx.doi.org/10.2305/IUCN.UK.2021-1.RLTS.T119441282A119441688.en>

Copyright: © 2021 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Arthropoda	Arachnida	Oribatida	Phthiracaridae

Scientific Name: *Hoplophthiracarus maritimus* (Pérez-Íñigo & Pérez-Íñigo Jr., 1996)

Synonym(s):

- *Calyptophtiracarus maritimus* Pérez-Íñigo & Pérez-Íñigo Jr., 1996

Assessment Information

Red List Category & Criteria: Data Deficient [ver 3.1](#)

Year Published: 2021

Date Assessed: March 31, 2018

Justification:

Hoplophthiracarus maritimus is an endemic species of the Azores (Portugal), having been described from one coastal lava tube (Gruta da Água de Pau) in S. Miguel island. From the species' description, it has a very small Extent of Occurrence (8 km²) and Area of Occupancy (8 km²), which are likely underestimates, as this species probably has a wider distribution through the soil component of the island. It can be assumed that this species is affected by human activities and invasive plant species that alter the natural structure and composition of the soil. Future climatic changes and increased risk of droughts will also affect this species. The present situation of this species needs to be assessed and further research is needed into its population, distribution, threats, ecology and life history. Conservation of natural habitats and invasive species control could potentially aid this species' conservation. Based upon the incomplete knowledge regarding this species' population, distribution, threats and ecology, this species is assessed as Data Deficient (DD).

Geographic Range


Range Description:

Hoplophthiracarus maritimus is an endemic oribatid mite species known from S. Miguel island (Azores, Portugal) (Borges *et al.* 2010), being described from the coastal lava tube of Gruta da Água de Pau (a Natura 2000 site). From the species' description, the Extent of Occurrence (EOO) is ca. 8 km² and the minimum estimated Area of Occupancy (AOO) is 8 km².

Country Occurrence:

Native, Extant (resident): Portugal (Azores)

Distribution Map





Legend

■ EXTANT (RESIDENT)

Compiled by:

Azorean Biodiversity Group 2018



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

No current population size estimates exist for this species. As an oribatid mite, this species is likely common and widespread in the soil habitat.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

The ecology and traits of this species are unknown. Oribatid mites are associated with organic matter in most terrestrial ecosystems, being found throughout the soil profile, in surface litter, on grasses, shrubs or in the bark and leaves of trees, among other habitats. Oribatida are also one of the most numerically dominant arthropod groups in the organic horizons of most soils (Behan-Pelletier 1999). *Hoplophthiracarus maritimus* was collected in a coastal lava tube, but according to Morell and Subias (1991), oribatid mites are soil species and should not be considered as strictly cave species. This species is likely an eutroglophile (epigean species able to maintain a permanent subterranean population) (Borges *et al.* 2012).

Systems: Terrestrial

Threats (see Appendix for additional information)

A lack of information regarding the present range of this species, precludes an assessment of potential threats. Nevertheless, it can be assumed that this species will be affected by future habitat declines as a consequence of climate change (Ferreira *et al.* 2016) and increased droughts. Other factors that affect habitat quality like land use changes, urbanisation, pesticides and nutrient loads or invasive plants might also affect this species.

Conservation Actions (see Appendix for additional information)

The species is not protected by regional law, but Gruta da Água de Pau is a regionally protected area (Rede Natura 2000 site). Land-use changes are likely one of the main current and future threats, and conservation of native habitats and invasive species control could potentially aid this species' conservation. Further research is needed into its population, distribution, threats, ecology and life history; and a monitoring plan for the invertebrate community is necessary in order to contribute to the conservation of this species.

Credits

Assessor(s): Nunes, R. & Borges, P.A.V.

Reviewer(s): Russell, N.

Authority/Authorities: IUCN SSC Spider and Scorpion Specialist Group

Bibliography

Behan-Pelletier, V.M. 1999. Oribatid mite biodiversity in agroecosystems: role for bioindication. *Agriculture, Ecosystems & Environment* 74(1-3): 411-423.

Borges, P.A., Cardoso, P., Amorim, I.R., Pereira, F.E., Constância, J.P., Nunes, J.C., Barcelos, P., Costa, P., Gabriel, R. and Dapkevicius, M.L. 2012. Volcanic caves: priorities for conserving the Azorean endemic troglobiont species. *International Journal of Speleology* 41(1): 101-112.

Borges, P.A.V., Costa, A., Cunha, R., Gabriel, R., Gonçalves, V., Martins, A.F., Melo, I., Parente, M., Raposeiro, P., Rodrigues, P., Santos, R.S., Silva, L., Vieira, P. and Vieira, V. 2010. *A list of the terrestrial and marine biota from the Azores*. Príncipeia, Cascais.

Ferreira, M.T., Cardoso, P., Borges, P.A.V., Gabriel, R., Azevedo, E.B., Reis, F., Araújo, M.B. and Elias, R.B. 2016. Effects of climate change on the distribution of indigenous species in oceanic islands (Azores). *Climate Change* 138(3-4): 603-615.

IUCN. 2021. The IUCN Red List of Threatened Species. Version 2021-1. Available at: www.iucnredlist.org. (Accessed: 25 March 2021).

Morell, M.J. and Subías, L.S. 1991. Oribatid mites from the Azores islands (Acari, Oribatida). *Boletim do Museu Municipal do Funchal* 43(227): 73-105.

Citation

Nunes, R. & Borges, P.A.V. 2021. *Hoplophthiracarus maritimus*. *The IUCN Red List of Threatened Species* 2021: e.T119441282A119441688. <https://dx.doi.org/10.2305/IUCN.UK.2021-1.RLTS.T119441282A119441688.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Supplementary Material](#), and for [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
7. Caves and Subterranean Habitats (non-aquatic) -> 7.1. Caves and Subterranean Habitats (non-aquatic) - Caves	Resident	Suitable	-

Threats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Threat	Timing	Scope	Severity	Impact Score
1. Residential & commercial development -> 1.1. Housing & urban areas	Ongoing	Unknown	Unknown	Unknown
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion 1. Ecosystem stresses -> 1.2. Ecosystem degradation		
2. Agriculture & aquaculture -> 2.1. Annual & perennial non-timber crops -> 2.1.2. Small-holder farming	Ongoing	Unknown	Unknown	Unknown
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion 1. Ecosystem stresses -> 1.2. Ecosystem degradation		
8. Invasive and other problematic species, genes & diseases -> 8.1. Invasive non-native/alien species/diseases -> 8.1.1. Unspecified species	Ongoing	Unknown	Unknown	Unknown
	Stresses:	1. Ecosystem stresses -> 1.2. Ecosystem degradation 1. Ecosystem stresses -> 1.3. Indirect ecosystem effects		
9. Pollution -> 9.3. Agricultural & forestry effluents -> 9.3.1. Nutrient loads	Ongoing	Unknown	Unknown	Unknown
	Stresses:	1. Ecosystem stresses -> 1.2. Ecosystem degradation 1. Ecosystem stresses -> 1.3. Indirect ecosystem effects		
9. Pollution -> 9.3. Agricultural & forestry effluents -> 9.3.3. Herbicides and pesticides	Ongoing	Unknown	Unknown	Unknown
	Stresses:	2. Species Stresses -> 2.1. Species mortality		
11. Climate change & severe weather -> 11.1. Habitat shifting & alteration	Future	Majority (50-90%)	Slow, significant declines	Low impact: 4
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion 1. Ecosystem stresses -> 1.2. Ecosystem degradation		
11. Climate change & severe weather -> 11.2. Droughts	Future	Majority (50-90%)	Slow, significant declines	Low impact: 4
	Stresses:	1. Ecosystem stresses -> 1.1. Ecosystem conversion 1. Ecosystem stresses -> 1.2. Ecosystem degradation		

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action in Place
In-place research and monitoring
Action Recovery Plan: No
Systematic monitoring scheme: No
In-place land/water protection
Conservation sites identified: No
Occurs in at least one protected area: Yes

Conservation Actions Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action Needed
2. Land/water management -> 2.1. Site/area management
2. Land/water management -> 2.2. Invasive/problematic species control
5. Law & policy -> 5.1. Legislation -> 5.1.3. Sub-national level

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.2. Population size, distribution & trends
1. Research -> 1.3. Life history & ecology
1. Research -> 1.5. Threats
3. Monitoring -> 3.1. Population trends
3. Monitoring -> 3.4. Habitat trends

Additional Data Fields

Distribution
Estimated area of occupancy (AOO) (km ²): 8
Continuing decline in area of occupancy (AOO): Unknown
Extreme fluctuations in area of occupancy (AOO): Unknown
Estimated extent of occurrence (EOO) (km ²): 8
Continuing decline in extent of occurrence (EOO): Unknown
Extreme fluctuations in extent of occurrence (EOO): Unknown

Distribution
Continuing decline in number of locations: Unknown
Extreme fluctuations in the number of locations: Unknown
Lower elevation limit (m): 0
Upper elevation limit (m): 5
Population
Continuing decline of mature individuals: Unknown
Extreme fluctuations: Unknown
Population severely fragmented: Unknown
Habitats and Ecology
Continuing decline in area, extent and/or quality of habitat: Unknown

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).